	Application No.	Applicant(s)	
Notice of Allowability	10/623,367	NAKAYAMA ET AL.	
	Examiner	Art Unit	
	Daniel Swerdlow	2615	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>application filed 18 July 2003</u> .			
2. The allowed claim(s) is/are <u>1-23</u> .			
 3.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
•			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Su Paper No./N 7. ☐ Examiner's A	ormal Patent Application mmary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowar	nce

Application/Control Number: 10/623,367 Page 2

Art Unit: 2615

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

2. Regarding Claim 1, US Patent 4,993,073 to Sparkes discloses a digital audio mixer (Figs. 2-4) that includes a plurality of functional blocks (29, 30, 31, 32, 33), each of which includes a digital signal processor 51 and a program memory 52, and that operate together to form a mixer (column 8, lines 30-47). Sparkes further discloses each functional block can be upgraded through the exchange of the program memory. As such, Sparkes discloses the functional blocks having versions. However, Sparkes discloses no mechanism for checking the versions to ensure correct operation of the mixer as claimed. Because the prior art fails to disclose or suggest all elements of the claimed invention, the claim is allowable.

- 3. Claims 15, 17 19 through 21 and 23 contain limitations similar to Claim 1 and are allowable for the same reasons.
- 4. Claims 2 through 14, 16, 18 and 22 are allowable due to dependence from their respective base claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel Swerdlow whose telephone number is 571-272-7531. The examiner can normally be reached on Monday through Friday between 7:30 AM and 5:00 PM.

Application/Control Number: 10/623,367 Page 3

Art Unit: 2615

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh H. Tran can be reached on 571-272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Daniel Swerdlow Primary Examiner Art Unit 2615

ds

31 August 2006